

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section Bintends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDES ID *	Organization Formal Name *							
GM G29	0541 Fieldwood Energy LLC								
		Fieldwood							
Reason fo	or Submission *								
O Chan	ge operator legal name and address	Add s	tructures	Change stru	cture information				
O Delet	e structures	O Add II	mit set(s) for an existing permitted feature	O Delete limit	set(s) from an existing permitted feature				
dd Structure	S								
Non-Sen	sitive Areas								
Lease Bl	ock 1								
Lease Ar	ea Block Name " I	Lease Area Block Number *	Lease Area Block BOEM Number *						
Mississi	opi Canyon	148	G02640	X					
Structu	re 1								

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	M C-148A	+ 28.795115 -	89.176848	
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake	e Structure (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance SMP (WM)
	Produced Water (PR)) Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	X well all extents
Add Structure				
Lease Block 2				
Lease Area Block Name	Lease Area Block Numb	ber * Lease Area Block BOEM Number *		
Mississippi Canyon	311	G02968	X	
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MC-311A	+ 28.642536 -	89.794241	
Water Depth (in feet)	Built after 07/17/2006?*			
428	No			
\mathbb{X}^{n}	Cooling Water Intake	e Structure (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance 8MP (WM)
X	Produced Water (PR)	g ∑ Sanitary & Domestik WW. Deck	Stock Base Fluid Drill (SB)	
) (C.C.) Oralwage (WW)		
Add Structure				
Lease Block 3				
Lease Area Block Name	Lease Area Block Numb	ber* Lease Area Block BOEM Number*		
Matagorda Island	487	TX-SL	X	
Structure 1				

Type *	Description		atitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform MI-487L		+ 2	28.245000 -	96.0350036	
Water Depth (in feet)	Built after 07/17/2006?* No				
	Cooling Water Intake	Structure (CW)	Drilling Fluidsand Cuttings (DF)	─────────────────────────────────	Maintenance BMP (WM)
	Produced Water (PR)			Stock Base Fluid Drill (SB)	◯ Well Fluids (WF)
Add Structure	_		Drainage (WW)		
Lease Block 4					
Lease Area Block Name *	Lease Area Block Numb	n.,	Lease Area Block BOEM Number		
Matagorda Island	518		G05169	X	
Structure 1					
Type *	Description	Li	atitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MI-518A		28.378779	96.0842939	
Water Depth (in feet)	Built after 07/17/2006?*				
69	No				
X contraction	Cooling Water Intake	Structure (CW)	Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Mamienance 8MP (WM)
X sections and	Produced Water (PR)		X Section of Contract Assessment	Stock Base Fluid Drill (SB)	
			14.2		····
Add Structure					
Lease Block 5					
Lease Area Block Name *	Lease Area Block Numb	er.,	Lease Area Block BOEM Number		
Matagorda Island	519		G06032	X	
Structure 1					
Octubrate 1					

Platform	MI-519#1	+ 28.373995	06 000172	
		20:01:000	96.088173	X
Water Depth (in feet)	Built after 07/17/2006?*			
65	No			
	Discharge (CT) Cooling Water Intake Struc	ture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVI)
	Produced Water (PR)	Sentary & Design Colors Deck Dramage (VAX)	Stock Base Fluid Drill (SB)	Well Fluids (VYF)
Add Structure				
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MI-519#2	+ 28.362714 -	96.10201	X
Water Depth (in feet)	Built after 07/17/2006?*			
60	No			
X Chan Transfel Wisc	Cooling Water Intake Struc	ture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X Mac Discharge (AC)	Produced Water (PR)	San Lary & Domentic WW, Deck	Stock Base Fluid Drill (SB)	IV (Meil Str. de tArE)
	1 Toduced Water (Fri)	(Ca) Drainage (WW)	Stock base ridia billi (ob)	Well Fluide (WF)
Add Structure				
ease Block 6				
		9 - 1 POTI II		
ease Area Block Name * Matagorda Island	Lease Area Block Number * 519	Lease Area Block BOEM Number * TX-SL	7 x	
viatagora a isiana	318	1^-3L		
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MI-519L	+ 28.385833	96.086667	
Water Depth (in feet)	Built after 07/17/2006?*			
65	No			
🔀 Green Treatment (file)	Cooling Water Intake Struc	ture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVM)
🔀 Mac Decreage (40)		🔀 San Fary & Domestic WW. Deck	Stock Base Fluid Drill (SB)	🔀 Well Floids (AF)
		^(A) Drainage (WW)		
Add Structure				

ease Area Block Name		umber* Lease Area Block BOEM Nu		
Matagorda Island 622		G05000	<u> </u>	
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal de	egrees) *
Platform	MI-622C	+ 28.101776	- 96.381066	X
Water Depth (in feet)	Built after 07/17/2006?*			
87	No			
	Cooling Water Int	ake Structure (CW) Drilling Fluids and Cutti		Fluid (HF) Naintenance BVP (VVV)
× months in the	Produced Water (PR)	Stock Base Fluid E	Orill (SB)
Add Structu	re			
Structure 2	D		1 2 1 2 1 1 1	
Type * Platform	Description MI-622C COMP	Latitude (in decimal degrees) * + 28.102839	Longitude (in decimal de	grees) ·
Water Depth (in feet)	Built after 07/17/2006?*	25.102000	30.3014207	
87	No No			
X	Cooling Water Int	ake Structure (CW) Drilling Fluids and Cutti	ngs (DF) Hydrate Control F	Fluid (HF) X Maintenance SMP (WM)
		pp) — — — — — — — — — — — — — — — — — —		
		Drainage (VVV)	Otook base i tuto t	(OB)
Add Structu	re			
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal de	egrees) *
Platform	MI-622C PRD	+ 28.102388	96.3812955	<u>X</u>
Water Depth (in feet)	Built after 07/17/2006?*			
87	No			
X	Cooling Water Int	ake Structure (CW) Drilling Fluids and Cutti		Fluid (HF) Xantenance EMP (WM)
	Produced Water (PR)	Stock Base Fluid E	Orill (SB) Xell Fluide (WF)
Add Structu	re			
Structure 4				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MI-622C QRT	+ 28.101438	- 96.3813939	_ X
Water Depth (in feet)	Built after 07/17/2006?*			
87	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (D	F) Hydrate Control Fluid (HF)	Maintenance 8MP (VM)
Z ·	Produced Water (PR)		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MI-622D	+ 28.102141	- 96.3698672	X
Water Depth (in feet)	Built after 07/17/2006?*			
86	No			
X Chen Tresses is	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (D	F) Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X viscoistas (vi	Produced Water (PR)	Sanitary & Domestic Wey, Dec	Stock Base Fluid Drill (SB)	₩all Fluide (WF)
Add Structur		Crainage (VVV)		_
\				
Structure 6				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	7
Platform	MI-622E	+ 28.09405	- 96.379648	
Water Depth (in feet) 86	Built after 07/17/2006?* No			
X	Cooling Water Intake Stru	·		X Maintenance BMP (WM)
	Produced Water (PR)	San Lary & Contentio WWY, Dec Drainage (WW)	Stock Base Fluid Drill (SB)	X Well Fluide (WF)
Add Structur	e-			
Lease Block 8				
Lease Area Block Name	* Lease Area Block Number *	Lease Area Block BOEM Number		
Matagorda Island	623	G03088	X	
	J 1			
G				
Structure 1				

Type *	Description	Latitude (in decimal deg	rees) * Longitude (in decimal degree	es) *
Platform	M I-623B DRL	+ 28.106585	- 96.429913	X
Water Depth (in feet				
81	No			
Z was to be	Cooling Water In	take Structure (CW) Drilling Fluids an	d Cuttings (DF)	(HF) Maintenance SMP (NM)
Z	Produced Water	(PR) (PR) (PR)	Stock Base Fluid Drill	(SB) Well Fluids (AVF)
Add Structu	ure			
Structure 2				
Type *	Description	Latitude (in decimal deg	rees) * Longitude (in decimal degree	es) *
Platform	MI-623B PRD	+ 28.106253	- 96.430244	X
Water Depth (in feet				
81	No			
X Chan Theated N	Cooling Water In	take Structure (CW) Drilling Fluids an	d Cuttings (DF) Hydrate Control Fluid	(HF) Maintenance SMP (WW)
[X] Micc Discharge ((PR) San Cary & Corne Crainage (VAS)	Stock Base Fluid Drill ((SB) (SCI Well Fluide (WF)
Add Structu		C7.61 (0.00 - c c c c c c c.		
				
Structure 3				
Type * Platform	Description MI-623H	Latitude (in decimal deg	rees) * Longitude (in decimal degree	es)*
Water Depth (in feet				
84	Yes 0//1//2000 Design	gn Intake Capacity (million gallonsperday) *	Design Intake Velocity (in feet per second 0	0
X	Cooling Water In	take Structure (CW) Drilling Fluids an	d Cuttings (DF) Hydrate Control Fluid	(HF) X Maintenance BMP (WM)
X expected		(BB) X San Cary & Conne		
		(FTV)	Stock base Huld Dilli	(90)
Add Structu	ure			
Lease Block 9				
Lease Area Block Nam	ne * Lease Area Block N	lumber * Lease Area Block BC	EM Number *	
Matagorda Island	635	G06043	X	
Structure 1				

Type *	Description		Latitude (in decimal degre		Longitude (in decimal degrees) *	1
Platform	MI-635F		+ 28.089488		96.3984637	X
Water Depth (in feet)		006?*				
89	No					
		Cooling Water Intake Structu	re (CW) Drilling Fluids and	Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (AVI)
	\mathbf{X}	Produced Water (PR)	\boxtimes		Stock Base Fluid Drill (SB)	∑ Well Plants (AVE)
Add Structu	re					
Structure 2						
Type *	Description		Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	
Platform	MI-635G		+ 28.089838	-	96.391665	X
Water Depth (in feet)		006?*				
70	No					
X Charles Toward		Cooling Water Intake Structu	re (CW) Drilling Fluids and	Cuttings (DF)	Hydrate Control Fluid (HF)	X (4.6 tensor on 84.9 (VV4)
\$		booming Water intake diracta	TE (CVV) Dinning Fluids and		<u> </u>	Secretary and the secretary an
X MacDiscourse (]	Produced Water (PR)			Stock Base Fluid Drill (SB)	─────────────────────────────────────
Mitc Discharge (I	.(C)					
	.(C)					
Mitc Discharge (I	.(C)					
Miss Discharge (t	re			ic WW, Deek		
Add Structu	re	Produced Water (PR)	Sanitary & Domedi Drainage (WW)	ic WW, Deek		
Add Structu Lease Block 10 Lease Area Block Name	re	Produced Water (PR) ase Area Block Number *	Sanitary & Doraedl Drainage (VVV)	ic WW, Deek	Stock Base Fluid Drill (SB)	
Add Structu Add Structu Lease Block 10 Lease Area Block Nami Matagorda Island	re	Produced Water (PR) ase Area Block Number *	Sanitary & Doraedl Drainage (VVV)	ic WW, Deek	Stock Base Fluid Drill (SB)	
Add Structu Lease Block 10 Lease Area Block Name	re	Produced Water (PR) ase Area Block Number *	Sanitary & Doraedl Drainage (VVV)	M Number*	Stock Base Fluid Drill (SB)	
Add Structu ease Block 10 ease Area Block Name Matagorda Island	re e* Le	Produced Water (PR) ase Area Block Number *	San lary & Doraedd Drainage (WW) Lease Area Block BOE G04703	M Number*	Stock Base Fluid Drill (SB)	
Add Structu Lease Block 10 Lease Area Block Nami Matagorda Island Structure 1 Type *	e* Description MI-681JA	Produced Water (PR) ase Area Block Number*	Lease Area Block BOE G04703 Latitude (in decimal degree	M Number*	Stock Base Fluid Drill (SB) X Longitude (in decimal degrees) *	
Add Structu Add Structu ease Block 10 ease Area Block Nami Matagorda Island Structure 1 Type * Platform	e* Description MI-681JA	Produced Water (PR) ase Area Block Number*	Lease Area Block BOE G04703 Latitude (in decimal degree	M Number*	Stock Base Fluid Drill (SB) X Longitude (in decimal degrees) *	
Add Structu Lease Block 10 Lease Area Block Name Matagorda Island Structure 1 Type * Platform Water Depth (in feet)	Description MI-681JA Built after 07/17/2 No	Produced Water (PR) ase Area Block Number*	Lease Area Block BOE G04703 Latitude (in decimal degree) + 27.935365	M Number*	Stock Base Fluid Drill (SB) X Longitude (in decimal degrees) *	
Add Structu Lease Block 10 Lease Area Block Name Matagorda Island Structure 1 Type * Platform Water Depth (in feet) 131	Description MI-681 JA Built after 07/17/2 No	Produced Water (PR) ase Area Block Number* B1 106?* Cooling Water Intake Structu	Lease Area Block BOE G04703 Latitude (in decimal degree + 27 935365 re (CW) Drilling Fluids and	M Number* es)* Cuttings (DF)	Stock Base Fluid Drill (SB) X Longitude (in decimal degrees)* 96.336005 Hydrate Control Fluid (HF)	Well Fluide (WF) Wantenence BMP (WM)
Add Structu Lease Block 10 Lease Area Block Name Matagorda Island Structure 1 Type * Platform Water Depth (in feet)	Description MI-681 JA Built after 07/17/2 No 100 Circenarge (CT)	Produced Water (PR) Pase Area Block Number* B1 1069**	Lease Area Block BOE G04703 Latitude (in decimal degree + 27.935365	M Number* es)* Cuttings (DF)	X Longitude (in decimal degrees)* 96.336005	▼ Well Fluide (WF)

Lease Area Block Name * Matagorda Island	Lease Area Block Number * 683	Lease Area Block BOEM Number* G13290		
Structure 1				
Type * Description Platform MI-683B	+	Latitude (in decimal degrees) * - 27.918583	Longitude (in decimal degrees) * 96.417056	
Water Depth (in feet) Built after No	r 07/17/2006?*			
X chan tessed also bischarge of	Cooling Water Intake Structure ((CW) Drilling Fluidsand Cuttings(DF)	─────────────────────────────────	∑ Maintenance BMP (WM)
(X Mark Decreases #1)	Produced Water (PR)	San Lary & Domersio WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	(A) (A) (A) (A) (A) (A) (A)
Add Structure		,		
Lease Block 12				
ease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *		
Matagorda Island	703	G03733	X	
Structure 1				
Type * Description		Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform MI-703A	+	27.895548	96.427985	
	r 07/17/2006?*			
128 No				
X compared to the control of	Cooling Water Intake Structure (Hydrate Control Fluid (HF)	X Maintenance 8MP (WM)
X Machine (40)	Produced Water (PR)	Earn farty & Demokraci WWI, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	X see as a section
Add Structure				
Add Lease Block				
ensitive Areas Add Lease Block				
ication information				

Ex. 6 Personal Privacy (PP)

Form /	Action	*							
Appro	ove								1

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.